Theses and Dissertations   1. Thesis and Dissertation Collection, all items

1974-09

Further examination of optimal fire support strategies.

Hill, Robert John III

Monterey, California. Naval Postgraduate School

http://hdl.handle.net/10945/17036

FURTHER EXAMINATION OF
OPTIMAL FIRE SUPPORT STRATEGIES

Robert John Hill

NAVAL POSTGRADUATE SCHOOL
Monterey, California

THESIS

FURTHER EXAMINATION OF

OPTIMAL FIRE SUPPORT STRATEGIES

by

Robert John Hill III

September 1974

Thesis Advisor: James G. Taylor

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) A Further Examination of Optimal Fire Support Strategies		5. TYPE OF REPORT & PERIOD COVERED Master's Thesis; September 1974
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Robert John Hill III		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		12. REPORT DATE September 1974
		13. NUMBER OF PAGES 25
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office) Naval Postgraduate School Monterey, California 93940		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Differential Games; Fire Support Allocation

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Previous thesis research has studied optimal time-sequential artillery fire distribution strategies in an attack scenario by considering a two-person, zero-sum, deterministic differential game. This past work is reviewed and extended by developing additional computational considerations (i.e., manifold of discontinuity for the dual variables) and

Block 20 - ABSTRACT (Cont.)

incorporating these into an existing digital computer pro-
gram for the determination of optimal time-sequential fire
support strategies. The military significance and implica-
tions of the structure of an optimal fire distribution pol-
icy are discussed.

A Further Examination of

Optimal Fire Support Strategies

by

Robert John Hill III
Captain, United States Army
B.S., United States Military Academy, 1965

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN OPERATIONS RESEARCH

from the

NAVAL POSTGRADUATE SCHOOL
September 1974

ABSTRACT

Previous thesis research has studied optimal time-sequen-
tial artillery fire distribution strategies in an attack
scenario by considering a two-person, zero-sum, deterministic
differential game. This past work is reviewed and extended
by developing additional computational considerations (i.e.,
manifold of discontinuity for the dual variables) and in-
corporating these into an existing digital computer program
for the determination of optimal time-sequential fire support
strategies. The military significance and implications of
the structure of an optimal fire distribution policy are
discussed.

TABLE OF CONTENTS

NOTATION

$X_1(t)$, $X_2(t)$, $Y_1(t)$, $Y_2(t)$ -- State variables, number of survivors of X_1, X_2, Y_1, Y_2 at time t.

T -- Specified duration of the "approach to contact".

$p_1(t)$, $p_2(t)$, $q_1(t)$, $q_2(t)$ -- Adjoint (dual) variables, the value of X_1, X_2, Y_1, Y_2 respectively at time t.

a_1 -- Attrition rate coefficient, average rate at which are Y_2 attrits X_1.

a_2 -- Average rate at which one Y_2 attrits X_2.

c -- Average rate at which one Y_1 attrits X_1.

b_1 -- Average rate at which one X_2 attrits Y_1.

b_2 -- Average rate at which one X_2 attrits Y_2.

v -- Decision (control) variable, fraction of Y_2 directed at X_1, $0 \leq v \leq 1$.

u -- Fraction of X_2 directed at Y_1, $0 \leq u \leq 1$.

v*, u* -- Optimal values of v and u.

J -- Criterion functional (objective function).

τ -- Backwards time, $\tau = T - t$.

I. INTRODUCTION AND PURPOSE

The subject of fire support allocation in military con-
flict has received considerable attention during the last
few years, particularly in the area of optimizing the dis-
tribution of limited fire support resources. One specific
example of the application of optimization techniques to
such allocation problems is a paper by Kawara [1] in the
field of differential games. In an extension of the work of
Weiss [2], he examined the optimal strategies of two heter-
ogeneous forces in a scenario in which each force consisted
of a combat unit (such as infantry) and a support unit (such
as artillery) wherein the strategy of each force was the
distribution it made of its supporting fires between the
other's infantry and artillery. Kawara concluded from his
analysis that, given the artillery units of each opponent
are never reduced to zero, the optimal strategies of the
opponents are independent of force levels.

Taylor [3] showed, for a given set of combat attrition
equations such as used by Kawara, that optimal strategies
are a function of the criterion functional (objective func-
tion), and that he (Kawara) picked the only type of criterion
functional -- the ratio of combatants at the end of the en-
gagement -- which produced optimal strategies completely in-
dependent of force levels. Taylor also examined a modified
version of Kawara's model in order to show that not only can
the optimal strategy of one of the combatants depend directly

7

on the enemy force levels, but also that the optimal strategy of that side is to sometimes split its supporting fires between the enemy's infantry and artillery.

Ellis [4] considered in his thesis this same two-person, zero-sum differential game and its solution procedure (as outlined by Taylor) which consisted of synthesizing extremal trajectories[1] using a backwards sweep process. For his thesis he constructed a lengthy computer program which numerically implemented the backwards sweep process and allowed him to flood the state space with extremal trajectories. As an output from his program, Ellis created a two-dimensional computerized plot which most vividly illuminates the dependence of strategy on force levels in Taylor's model.

However, while examining several cases of Taylor's scenario, Ellis found that, for several combinations of parameters and values of state variables used to initialize the backwards sweep process, it was not possible to reach certain beginning values of the state space. This lack of trajectories passing through certain portions of the five-dimensional state space was coined as a "void" by Taylor. Taylor [3] subsequently provided an analytical explanation for the existence of the "void" discovered by Ellis, and developed a candidate solution for filling it with optimal trajectories.

---

[1] A trajectory generated by a realization of a strategy which satisfies the necessary conditions of optimality for all points in time.

The purpose of this thesis was to incorporate Taylor's solution for filling the "void" into the computational routine developed by Ellis, to numerically solve the differential game with the modified routine, and to demonstrate with graphical plot the effect of Taylor's solution for filling the "void".

II. DEVELOPMENT OF OPTIMAL TIME-SEQUENTIAL
FIRE SUPPORT STRATEGIES

A. THE COMBAT SCENARIO

The combat scenario examined by Taylor [3] (extending previous work by Kawara [1] and Weiss [2]) consisted of two opposing heterogeneous forces in a fixed duration "approach to contact" wherein one's infantry, X_1, is attacking the other's infantry, Y_1. The game terminates at the moment that contact (close combat) between combatants occurs (after a fixed time, T), whereupon artillery fires must be shifted from the enemy's infantry in order to preclude the inflicting of casualties on one's own infantry. Figure 1 depicts the situation examined by Taylor.


Figure 1. The Tactical Situation

10

As can be seen, each side's artillery can distribute its
fires with complete latitude at its enemy's infantry and/or
artillery. All attrition caused by artillery fires was as-
sumed by Taylor to follow a "linear-law" attrition process,
except for the defender's artillery, Y_2, against the attack-
er's artillery, X_2, which was formulated as following a
"square-law" attrition process in as much as it was felt the
defender has superior target acquisition capability. Due to
the condition that the attacker's infantry, X_1, is moving
toward the defender's infantry, Y_1, it was assumed that the
Y_1 fires on X_1 followed a "linear-law" attrition process,
reflecting the difficulty of firing aimed fire at a moving
target. One should also notice in Figure 1 that X_1 has been
pictured as placing no fires on Y_1, so assumed because of
the difficulty of delivering effective fire while in rapid
movement to contact. The objective of both opponents during
the "approach to contact" is to maximize the ratio of its
infantry to its opponent's infantry at the moment the "ap-
proach to contact" phase is ended and "close combat" begins.

B. DIFFERENTIAL GAME FORMULATION

Taylor [3] modeled the scenario in section II.A. as a two-person, zero-sum differential game as follows:

$$\text{MAXIMIZE} \quad \text{MINIMIZE} \quad J = X_1(T)/Y_1(T)^2$$
$$\quad U \qquad\qquad V$$

Subject To:

$$dX_1/dt = -va_1 X_1 Y_2 - cX_1 Y_1 \qquad (=f_1)$$

$$dX_2/dt = -(1-v)a_2 Y_2 \qquad\qquad (=f_2)$$

$$dY_1/dt = -ub_1 Y_1 X_2 \qquad\qquad (=g_1)$$

$$dY_2/dt = -(1-u)b_2 Y_2 X_2 \qquad\qquad (=g_2)$$

$$0 \leq u(t) \leq 1 \qquad 0 \leq v(t) \leq 1$$

$$\left. \begin{array}{l} 0 \leq Y_i(t) = Y_i \\[2mm] 0 \leq X_i(t) = X_i \end{array} \right\} \quad i=1,2 \qquad \text{(SVIC's)}$$

Initial Conditions: $X_i(t=0) = X_i^0$, $Y_i(t=0) = Y_i^0$, $i=1,2$

It is quite evident that the state variable inequality constraints (SVIC's) hold for all the state variables (X_i, Y_i, $i=1,2$) except for X_2 which can take on negative values, mathematically speaking; however, for the purposes of his examination, Taylor considered X_2 to remain strictly positive, thus by-passing any need for consideration of the problems generated by SVIC's, such as discussed in Speyer [5].

---

[2] In general $J = J(t,\underline{X},\underline{Y}, u,v) = G\{\underline{X}(T),\underline{Y}(T)\}$
$$+ \int_t^T L\{s,\underline{X}(s),\underline{Y}(s),u(s),v(s)\}ds, \text{ but for}$$
Taylor's scenario, $J = G\{\underline{X}(T),\underline{Y}(T)\} + 0 = X_1(T)/Y_1(T)$.

C. DEVELOPMENT OF SOLUTION

In generating the solution to the differential game presented in section II.B., Taylor applied a method similar in form to that used in optimal control problems, utilizing the "Maximum Principle" as applied to differential games such as in [6] and the theory of singular extremals. At this time, it should be noted that the strategies developed by Taylor were not shown to satisfy sufficient conditions for optimality, to do so being beyond the scope of the current investigation.

The general steps followed by Taylor in generating the extremal controls to the differential game in section II.B. are outlined below:

1. Introduce the dual (adjoint) variables $p_1(t)$, $p_2(t)$, $q_1(t)$, $q_2(t)$ which correspond to the state variables $X_1(t)$, $X_2(t)$, $Y_1(t)$, $Y_2(t)$, respectively.

$$[p_i(t) = \partial W(t,\underline{X},\underline{Y})/\partial X_i(t)$$

where $W(t,\underline{X},\underline{Y})$ is differentiable and

$$W = (t,\underline{X},\underline{Y}) = W\{t=0,\underline{X}^0,\underline{Y}^0; \; t=T,\underline{X}(T),\underline{Y}(T)\}$$

$$= \underset{u(t_0,T)}{\text{MAXIMUM}} \; \underset{v(t_0,T)}{\text{MINIMUM}} \; J = X_1(T)/Y_1(T)]$$

2. Form the Hamiltonian H:

$$H(t,\underline{X},\underline{Y},u,v) = L(t,\underline{X},\underline{Y},u,v) + \sum_{i=1}^{2}(p_i f_i + q_i g_i)$$

$$= \sum_{i=1}^{2}(p_i f_i + q_i g_i).$$

13

3.   Determine the extremal strategic variable pair (extremal controls), (u*,v*), by maximize-minimizing the Hamiltonian.

4.   Construct the system of time history equations (canonical equations):

$$dX_i/dt = \partial H(t,\underline{X},\underline{Y},\underline{p},\underline{q},u^*,v^*)/\partial p_i(t)$$

$$dY_i/dt = \partial H(t,\underline{X},\underline{Y},\underline{p},\underline{q},u^*,v^*)/\partial q_i(t)$$

$$dp_i/dt = -\partial H(t,\underline{X},\underline{Y},\underline{p},\underline{q},u^*,v^*)/\partial X_i(t)$$

$$dq_i/dt = -\partial H(t,\underline{X},\underline{Y},\underline{p},\underline{q},u^*,v^*)/\partial Y_i(t)$$

for i=1,2

5.   Determine the terminal boundary conditions for the adjoint variables in preparation for synthesizing the extremals in backwards time (τ):

$$p_i(t=T) = p_i(\tau=0) = \partial G\{\underline{X}(T),Y(T)\}/\partial X_i(T)$$

$$= \partial\{X_1(T)/Y_1(T)\}/\partial X_i(T)$$

$$q_i(t=T) = q_i(\tau=0) = \partial G\{\underline{X}(T),Y(T)\}/\partial Y_i(T)$$

$$= \partial\{X_1(T)/Y_1(T)\}/\partial Y_i(T)$$

for i=1,2

6.   Compute the amount of discontinuous jump made by the adjoint variables across a manifold of discontinuity of both u* and v*, simultaneously. A "void" in the state space occurs only in those cases where a discontinuity in the adjoint variables exists. (Alternatively speaking, this final step covers the procedure for filling the "void", as developed by Taylor [3] after the discovery of the existence of the "void" by Ellis [4].)

    For a detailed explanation of these six steps, see Taylor [3].

III.   FILLING THE "VOID"

A.   MODIFICATION OF THE COMPUTATIONAL ROUTINE

The computer program developed by Ellis [4] which numer-
ically synthesized the extremal controls to the differential
game in section II.B. using Taylor's original (before the
discovery of the state space "void") solution, consisted of
546 lines of Fortran IV coding. Generally, the program en-
compassed steps 1 through 5 listed in section II.C.

In order to make an alteration to Ellis' program (to im-
plement the filling of the "void", step 6 in section II.C.)
without inadvertently and erroneously changing the basic
logic scheme, it was first necessary to develop a flowchart
outlining the logic used by Ellis.

A detailed flowchart showing all the intricacies of meth-
ods used in the program, such as the Runge-Kutta fourth-order
numerical integration algorithm or the Newton-Raphson routine
for numerically solving transcendental equations, would have
been of no practical use; therefore, a block-type flowchart
showing the inter-relationships between the critical segments
of the backwards sweep process was drawn to model the over-
all procedure of extremal synthesis and graphical plotting.
Key flag and count variables were included in the diagram as
well as all significant logic nodes.

An immediate spinoff from the completed flowchart was to
catch several errors in Ellis' train of logic which had not
been previously detected during initial program operation

and debugging. Once Taylor's differential game solution was
clearly understood, and Ellis' program steps were associated
one-to-one with the solution steps, the incorporation of
Taylor's solution for filling the "void" into Ellis' program
was relatively uncomplicated, ultimately requiring only about
50 lines of Fortran IV coding.

Lastly, fine tuning of the numerical integration time
steps affected by the modification was necessary in order to
insure acceptable error level in the numerical approximations.
(The verification of the numerical integration coding was
previously accomplished by Ellis, and, therefore, not re-
peated here.)

B.   EXAMPLE OF FILLING THE "VOID"

Figure 2 is a graphical plot, done on an IBM 360 computer,
of a specific case of the differential game examined by Tay-
lor in which a discontinuity in the adjoint (dual) variables
existed.   Note the dearth of trajectories through a large
portion of the two-dimensional state space (Z,t)[3], where t
occurs during the initial stages of the approach to contact.
The absence of extremal trajectories passing through those
portions of the state space is what has been called the
"void".

---

[3] $Z = Y_1(t)/Y_2(t)$ was picked by Ellis [4] as a suitable
transformed state variable to demonstrate the force level
dependence of optimal strategies.

16

Figure 2.   The "Void"

Moreover, once the modification to Ellis' computer pro-
gram (incorporating the discontinuous jump of the adjoint
variables p and q at the manifold of discontinuity of u* and
v*) was applied, this same "void" was subsequently flooded
by optimal trajectories as graphically displayed in Figure
3.

Figure 3.   The Filled "Void"

To explain Figures 2 and 3 further, the discontinuity of v* occurs on the v* transition surface, and the discontinuity of u* on the u* transition surface, depicted by the dark extremal trajectory in Figure 3.   The intersection of these two transition surfaces, indicated by a circle in both Figures 2 and 3, is the point in backwards time where the "void" occurs, as clearly seen in Figure 2.

IV. SIGNIFICANCE OF THE MODEL AND ITS SOLUTION

A. INTERPRETATION OF THE SOLUTION

The first objective of Taylor's [3] work was to show
that optimal strategies are not necessarily independent of
force levels; this Ellis [4] aptly illustrated by his plot-
ting the transformed state variable, Z, against time, which
indicated the shift of strategy in conjunction with particu-
lar enemy force levels. Even more vividly, under certain
circumstances in Taylor's solution, the following equation
holds:

$$u = \{b_2/(b_1+b_2)\}(1-q_2Y_2/p_2X_2)$$

which demonstrates explicitly the dependence of strategy on
force levels, in this case Y_2 and X_2. In mathematical terms,
the strategies are closed-loop strategies in that
$U = U\{t,\underline{X}(t),\underline{Y}(t)\}$ and $V = V\{t,X(t),Y(t)\}$, or, in other
words, the strategies of the opponents are feedback depend-
ent. In military terms, the significance of these results
is that intelligence concerning the enemy force levels is
extremely important in the development of one's strategy.
Because of the uncertainty inherent in intelligence estimates
in the real world, Taylor's results imply that one's strat-
egy must be continuously reevaluated as a result of the
changing intelligence picture.

The second objective that Taylor sought to accomplish
was to illustrate the fact that supporting fires may be

split between opposing forces.   There exists in the solution
to Taylor's model specific instances when the optimal strat-
egy is to fire on the enemy's two different forces propor-
tional to their relative strengths; or, mathematically
speaking,

$$u = b_2/(b_1+b_2), \qquad 1-u = b_1/(b_1+b_2)$$

such that they are attrited at proportionally the same rate,
keeping $Z = Y_1(t)/Y_2(t)$ constant.   This is well illustrated
in the graphical plot developed by Ellis when an extremal
remains at a constant level for a finite period of time as
seen between t* and t** in Figure 4, picturing a single op-
timal trajectory extracted from Figure 3.

Figure 4

Notwithstanding, the most significant lesson that can be learned from the combined results of this work, Taylor [3] and Ellis [4] is aimed not at the military decision maker, but at the analyst who is attempting to model combat dynamics: in a differential game, the form of the dynamics used to depict a situation may impose unacceptable characteristics on the strategies of the game players, causing them to violate very basic concepts from the real world the analyst is attempting to model, such as in the case of Kawara [1].

B. FUTURE CONCERNS

There appears to be a logical extension of this work that could be made, possibly to satisfy a Master's Thesis requirement, beginning with the assignment of appropriate constants of dimensionality to Taylor's model, such an undertaking being necessary before the military artist can effectively interpret the strategy or tactics that the differential game solution dictates. Once this is accomplished, of further interest would be a sensitivity analysis on the model, using Ellis' program as modified by this thesis.

For the interested reader, the resultant program, flowchart, and computer cards from this work may be obtained from Associate Professor James G. Taylor, Department of Operations Research and Administrative Sciences, Naval Postgraduate School, Monterey, California 93940.

V. SUMMARY

The method Taylor [3] derived for filling the "void" found in his original solution to the modified version of Kawara's [1] differential game has been found to be successful. Such was shown to be true by means of incorporating the aforementioned method into Ellis' [4] computer routine for numerically executing Taylor's original solution, and then looking at "before" and "after" snapshots of a case involving a "void".

The force level dependence of optimal strategies, the splitting of supporting fires, and the sensitivity of strategy to model attrition dynamics has also been discussed.

LIST OF REFERENCES

1. Kawara, Y., "An Attrition Problem of Fire Support in Combat as a Differential Game," Operations Research, v. 21, p. 942-951, 1973.

2. Weiss, H., "Some Differential Games of Tactical Interest and the Value of a Supporting Weapon System," Operations Research, v. 7, p. 180-196, 1959.

3. Taylor, J., "Application of Differential Games to Problems of Military Conflict: Tactical Allocation Problems - Part III," Naval Postgraduate School Technical Report, to appear.

4. Ellis, J., A Problem of Allocation of Supporting Fire in Combat as a Zero-Sum Differential Game, M.S. Thesis, Naval Postgraduate School, 1974.

5. Speyer, J., and others, "New Necessary Conditions of Optimality for Control Problems with State-Variable Inequality Constraints," Journal of Mathematical Analysis and Applications, v. 35, p. 255-284, 1974.

6. Bryson, A. and Ho, Y., Applied Optimal Control, p. 271-295, Ginn, 1969.

7. Taylor, J., "Survey on the Optimal Control of Lanchester-Type Attrition Processes," Office of Naval Research Report, 1974.

8. Taylor, J., "Lanchester-Type Models of Warfare and Optimal Control," Naval Research Quarterly, v. 21, p. 79-106, 1974.

9. Chattopadhyay, R., "Differential Game Theoretic Analysis of a Problem of Warfare," Naval Research Quarterly, v. 16, p. 435-441, 1969.

10. Lanchester, F., "Mathematics in Warfare," in World of Mathematics, Volume IV, p. 2136-2157, Simon and Shuster, 1956.

INITIAL DISTRIBUTION LIST

<div align="right">No. of Copies</div>

1. Defense Documentation Center   2
   Cameron Station
   Alexandria, Virginia 22314

2. Library, Code 0212   2
   Naval Postgraduate School
   Monterey, California 93940

3. Assoc. Professor James G. Taylor, Code 55Tw   1
   Department of Operations Research and
      Administrative Sciences
   Naval Postgraduate School
   Monterey, California 93940

4. LCDR Robert Bedow, Code 55Bi   1
   Department of Operations Research and
      Administrative Sciences
   Naval Postgraduate School
   Monterey, California 93940

5. Department Chairman, Code 55   1
   Department of Operations Research and
      Administrative Sciences
   Naval Postgraduate School
   Monterey, California 93940

6. Chief of Personnel Operations   1
   ATTN: OPXC
   Department of the Army
   Washington, D.C. 20315

7. Chief of Naval Personnel (Pers 116)   1
   Department of the Navy
   Washington, D.C. 20370

8. Office of Naval Research   1
   Arlington, Virginia 22217
   ATTN: Dr. Robert J. Miller (Code 431)

9. CAPT Robert J. Hill III   1
   U.S. Army Concepts Analysis Agency
   8120 Woodmont Ave.
   Bethesda, Maryland 20014

10. Office of Naval Research   1
    Arlington, Virginia 22217
    ATTN: Mr. James Smith (Code 431)